

HighPoint SSD7749M Compatibility List

2024/2/2

This document was designed to serve as general reference for compatibility between the HighPoint SSD7749M and specific motherboards/SSDs described herein.

The motherboards included in this document are recommended for HighPoint SSD7749M x16 PCIE 4.0 configurations. Specific motherboards may have special requirements or restrictions. Please refer to the motherboard's PCIe Expansion slot settings.

Note: *Bifurcation is not required. HighPoint SSD series NVMe RAID AIC can be used with "Non-Bifurcation" motherboards.*

Motherboard Compatibility List

Notes:

The recommended PCIe slot we filled in are based on the description of the motherboard manual. SSD7749M do not support Lenovo P620 and Pro WS WRX80E-SAGE SE WIFI.

Manufacture	Product Name	Chipset	Recommended PCIe slot #	Data RAID support	Boot RAID support
Dell	Precision T7920 Tower	Intel C621	PCIe3x16 75W (slot2) PCIe3x16 75W (slot4)	√	√
ASUS	PRIME X299-DELUXE	Intel X299	PCIEX16_1, PCIEX16_3	√	√
ASUS	ROG STRIX X299-E	Intel X299	PCIEX16/X8_1, PCIEX16/X8_2	√	√
ASUS	TUF X299 MARK 1	Intel X299	PCIEX16_1, PCIEX16_2	√	√
ASUS	PRIME X299-A	Intel X299	PCIEX16_1, PCIEX16_2	√	√
ASUS	TUF X299 MARK 2	Intel X299	PCIEX16_1, PCIEX16_2	√	√
ASUS	WS X299 SAGE	Intel X299	PCIEX16_1, PCIEX16_3 PCIEX16_5, PCIEX16_7	√	√
ASUS	PRIME Z390 SERIES	Intel Z390	PCIEX16_1	√	√
ASUS	ROG ZENITH EXTREME	AMD X399	PCIEx16_1, PCIEX16_3	√	√
ASUS	PRIME X399-A	AMD X399	PCIEx16_1, PCIEX16_3	√	√
ASUS	ROG STRIX X399-E GAMING	AMD X399	PCIEx16_1, PCIEX16_3	√	√
ASUS	PRIME X570-P	AMD X570	PCIEx16_1	√	√
ASUS	PRIME X570-PRO	AMD X570	PCIEx16_1	√	√
ASUS	Pro WS X570-ACE	AMD X570	PCIEx16_1	√	√
ASUS	ROG Crosshair VIII Formula	AMD X570	PCIEx16_1	√	√
ASUS	ROG Crosshair VIII Hero (WI-FI)	AMD X570	PCIEx16_1	√	√
ASUS	ROG Crosshair VIII Impact	AMD X570	PCIEx16_1	√	√
ASUS	ROG Strix X570-E Gaming	AMD X570	PCIEx16_1	√	√
ASUS	ROG Strix X570-F Gaming	AMD X570	PCIEx16_1	√	√
ASUS	ROG Strix X570-I Gaming	AMD X570	PCIEx16_1	√	√
ASUS	TUF GAMING X570-PLUS	AMD X570	PCIEx16_1	√	√
ASUS	TUF GAMING X570-PLUS (WI-FI)	AMD X570	PCIEx16_1	√	√
ASUS	Pro WS WRX80E-SAGE SE WIFI	AMD WRX80	PCIe4.0/3.0 X16_1 PCIe4.0/3.0 X16_2 PCIe4.0/3.0 X16_3 PCIe4.0/3.0 X16_4 PCIe4.0/3.0 X16_5 PCIe4.0/3.0 X16_6 PCIe4.0/3.0 X16_7	√	√
ASUS	ROG MAXIMUS Z690 HERO	Intel Z690	PCIEX16(G5)_1	√	√
GIGABYTE	X299 AORUS Gaming 9	Intel X299	PCIEX16_1, PCIEX16_2	√	√
GIGABYTE	X299 AORUS Gaming 7	Intel X299	PCIEX16_1, PCIEX16_2	√	√
GIGABYTE	X299 AORUS Gaming 3	Intel X299	PCIEX16_1, PCIEX16_2	√	√
GIGABYTE	X299 UD4	Intel X299	PCIEX16_1, PCIEX16_2	√	√
GIGABYTE	GA-X299 DESIGNARE EX	Intel X299	PCIEX16_1, PCIEX16_2	√	√
GIGABYTE	GA-Z390 AORUS XTREME	Intel Z390	PCIEX16	√	√
GIGABYTE	X399 AORUS PRO	AMD X399	PCIEx16_1, PCIEX16_2	√	√
GIGABYTE	X399 AORUS XTREME	AMD X399	PCIEx16_1, PCIEX16_2	√	√
GIGABYTE	X399 DESIGNARE EX	AMD X399	PCIEx16_1, PCIEX16_2	√	√
GIGABYTE	X399 AORUS Gaming 7	AMD X399	PCIEx16_1, PCIEX16_2	√	√
GIGABYTE	X570 AORUS MASTER	AMD X570	PCIEX16	√	√
GIGABYTE	X570 AORUS ELITE WIFI	AMD X570	PCIEX16	√	√
GIGABYTE	X570 AORUS XTREME	AMD X570	PCIEX16	√	√
GIGABYTE	X570 AORUS PRO WIFI	AMD X570	PCIEX16	√	√
GIGABYTE	X570 I AORUS PRO WIFI	AMD X570	PCIEX16	√	√
GIGABYTE	X570 GAMING X	AMD X570	PCIEX16	√	√
GIGABYTE	X570 UD	AMD X570	PCIEX16	√	√
ASRock	Fatal1ty X299 Gaming K6	Intel X299	PCIE1, PCIE3	√	√
ASRock	Fatal1ty X299 Professional Gaming i9	Intel X299	PCIE1, PCIE3	√	√
ASRock	X299 Killer SLI/ac	Intel X299	PCIE1, PCIE3	√	√
ASRock	X299 Taiichi	Intel X299	PCIE1, PCIE3	√	√
ASRock	X99 WS	Intel X99	PCIE1, PCIE4	√	√
ASRock	ROMED8-2T	AMD EPYC 7002/7003 Series	PCIE1, PCIE2, PCIE3, PCIE4, PCIE5, PCIE6, PCIE7	√	√
MSI	X299 GAMING M7 ACK	Intel X299	PCI_E1, PCI_E4	√	×
MSI	X299 GAMING PRO CARBON AC	Intel X299	PCI_E1, PCI_E4	√	×

MSI	X299 GAMING PRO CARBON	Intel X299	PCI_E1, PCI_E4	√	×
MSI	X299 TOMAHAWK ARCTIC	Intel X299	PCI_E1, PCI_E4	√	×
MSI	X299 TOMAHAWK AC	Intel X299	PCI_E1, PCI_E4	√	×
MSI	X299 TOMAHAWK	Intel X299	PCI_E1, PCI_E4	√	×
MSI	X299 SLI PLUS	Intel X299	PCI_E1, PCI_E4	√	×
MSI	X299 RAIDER	Intel X299	PCI_E1, PCI_E3	√	×
Supermicro	X11DPL-i	Intel C621	CPU1 SLOT5 PCI-E 3.0X16 CPU2 SLOT3 PCI-E 3.0X16	√	√
Supermicro	X11DPi-N	Intel C621	CPU1 Slot2 PCI-E 3.0X16 CPU2 Slot4 PCI-E 3.0X16 CPU2 Slot5 PCI-E 3.0X16 CPU2 Slot6 PCI-E 3.0X16	√	√
Supermicro	X11DPi-NT	Intel C622	CPU1 Slot2 PCI-E 3.0X16 CPU2 Slot4 PCI-E 3.0X16 CPU2 Slot5 PCI-E 3.0X16 CPU2 Slot6 PCI-E 3.0X16	√	√
Supermicro	X11DAi-N	Intel C621	CPU1 SLOT1 PCI-E 3.0X16 CPU1 SLOT2 PCI-E 3.0X16 CPU2 SLOT3 PCI-E 3.0X16 CPU2 SLOT5 PCI-E 3.0X16	√	√
Supermicro	X11DPX-T	Intel C621	JPCIE2(CPU1 SLOT2 PCI-E 3.0X16) JPCIE4(CPU1 SLOT4 PCI-E 3.0X16) JPCIE6(CPU2 SLOT6 PCI-E 3.0X16) JPCIE8(CPU2 SLOT8 PCI-E 3.0X16)	√	√
Supermicro	X11DPH-TQ	Intel C627	CPU2 SLOT2 PCI-E 3.0X16 CPU2 SLOT4 PCI-E 3.0X16 CPU2 SLOT5 PCI-E 3.0X16	√	√
Supermicro	X11DPH-I	Intel C621	CPU2 SLOT2 PCI-E 3.0X16 CPU2 SLOT4 PCI-E 3.0X16 CPU2 SLOT5 PCI-E 3.0X16	√	√
Supermicro	X11DPH-T	Intel C622	CPU2 SLOT2 PCI-E 3.0X16 CPU2 SLOT4 PCI-E 3.0X16 CPU2 SLOT5 PCI-E 3.0X16	√	√
Supermicro	X11DAC	Intel C621	CPU1 SLOT1 PCI-E 3.0X16 CPU2 SLOT3 PCI-E 3.0X16 CPU2 SLOT5 PCI-E 3.0X16	√	√
Supermicro	X11SPi-TF	Intel C622	CPU SLOT4 PCI-E 3.0X16 CPU SLOT6 PCI-E 3.0X16	√	√
Supermicro	X11SPM-TPF	Intel C622	CPU1 SLOT4 PCI-E 3.0X16 CPU1 SLOT6 PCI-E 3.0X16	√	√
Supermicro	X12DPi-N6	Intel C621A	CPU1 SLOT2 PCI-E 4.0 x16 CPU1 SLOT3 PCI-E 4.0 x16 CPU2 SLOT4 PCI-E 4.0 x16 CPU2 SLOT5 PCI-E 4.0 x16	√	√
Supermicro	X12DPi-NT6	Intel C621A	CPU1 SLOT2 PCI-E 4.0 x16 CPU1 SLOT3 PCI-E 4.0 x16 CPU2 SLOT4 PCI-E 4.0 x16 CPU2 SLOT5 PCI-E 4.0 x16	√	√
Supermicro	X12DPL-i6	Intel C621A	CPU2 SLOT1 PCI-E 4.0 x16 CPU1 SLOT2 PCI-E 4.0 x16 CPU1 SLOT3 PCI-E 4.0 x16 CPU1 SLOT4 PCI-E 4.0 x16	√	√
Supermicro	X12DPL-NT6	Intel C621A	CPU2 SLOT1 PCI-E 4.0 x16 CPU1 SLOT2 PCI-E 4.0 x16 CPU1 SLOT3 PCI-E 4.0 x16 CPU1 SLOT4 PCI-E 4.0 x16	√	√
Supermicro	H11DSi-NT	AMD EPYC 7001/7002 Series	CPU1 SLOT2 PCI-E 3.0 x16 CPU1 SLOT4 PCI-E 3.0 x16	√	√
Supermicro	H11DSi	AMD EPYC 7001/7002 Series	CPU1 SLOT2 PCI-E 3.0 x16 CPU1 SLOT4 PCI-E 3.0 x16	√	√
Supermicro	H11SSL-NC	AMD EPYC 7001/7002 Series	CPU SLOT2 PCI-E 3.0 x16 CPU SLOT4 PCI-E 3.0 x16 CPU SLOT6 PCI-E 3.0 x16	√	√
Supermicro	H11SSL-i	AMD EPYC 7001/7002 Series	CPU SLOT2 PCI-E 3.0 x16 CPU SLOT4 PCI-E 3.0 x16 CPU SLOT6 PCI-E 3.0 x16	√	√
Supermicro	H11SSL-C	AMD EPYC 7001/7002 Series	CPU SLOT2 PCI-E 3.0 x16 CPU SLOT4 PCI-E 3.0 x16 CPU SLOT6 PCI-E 3.0 x16	√	√

Supermicro	H12SSL-i	AMD EPYC 7002/7003 Series	CPU SLOT1 PCI-E 4.0 X16 CPU SLOT3 PCI-E 4.0 X16 CPU SLOT5 PCI-E 4.0 X16 CPU SLOT6 PCI-E 4.0 X16 CPU SLOT7 PCI-E 4.0 X16	✓	✓
Supermicro	H12SSL-NT	AMD EPYC 7002/7003 Series	CPU SLOT1 PCI-E 4.0 X16 CPU SLOT3 PCI-E 4.0 X16 CPU SLOT5 PCI-E 4.0 X16 CPU SLOT6 PCI-E 4.0 X16 CPU SLOT7 PCI-E 4.0 X16	✓	✓
Supermicro	H12SSL-C	AMD EPYC 7002/7003 Series	CPU SLOT1 PCI-E 4.0 X16 CPU SLOT3 PCI-E 4.0 X16 CPU SLOT5 PCI-E 4.0 X16 CPU SLOT6 PCI-E 4.0 X16 CPU SLOT7 PCI-E 4.0 X16	✓	✓
Supermicro	H12SSL-CT	AMD EPYC 7002/7003 Series	CPU SLOT1 PCI-E 4.0 X16 CPU SLOT3 PCI-E 4.0 X16 CPU SLOT5 PCI-E 4.0 X16 CPU SLOT6 PCI-E 4.0 X16 CPU SLOT7 PCI-E 4.0 X16	✓	✓

SSD Compatibility List

Manufacture	Model/Series	Form Factor	Capacity	Remark
PCIe Gen4 NVMe				
Seagate	FireCuda520 SSD	M.2 2280	500GB, 1TB, 2TB	NVMe based on the Phison chip does not support the workstation motherboard and is recommended to be used on the server motherboard.
Seagate	FireCuda530 SSD	M.2 2280	500GB, 1TB, 2TB, 4TB	NVMe based on the Phison chip does not support the workstation motherboard and is recommended to be used on the server motherboard.
Sabrent	Rocket NVMe 4.0	M.2 2280	500GB, 1TB, 2TB	NVMe based on the Phison chip does not support the workstation motherboard and is recommended to be used on the server motherboard.
Sabrent	Rocket 4.0 PLUS	M.2 2280	500GB, 1TB, 2TB, 4TB, 8TB	NVMe based on the Phison chip does not support the workstation motherboard and is recommended to be used on the server motherboard.
Samsung	980 PRO	M.2 2280	250GB, 500GB, 1TB, 2TB	
Samsung	990 PRO	M.2 2280	1TB, 2TB	
Samsung	PM9A3	M.2 22110	960GB,1.92TB,3.84TB	
PCIe Gen3 NVMe				
Samsung	970 EVO Plus	M.2 2280	250GB, 500GB, 1TB, 2TB	
Samsung	970 EVO	M.2 2280	250GB, 500GB, 1TB, 2TB	
Samsung	970 PRO	M.2 2280	512GB, 1TB	
KIOXIA	XG5 Series	M.2 2280	256GB, 512GB, 1TB	
KIOXIA	XG6 Series	M.2 2280	256GB, 512GB, 1024GB	
Western Digital	WD Blue SN500	M.2 2280	250GB, 500GB	
Western Digital	WD Black SN750	M.2 2280	250GB, 500GB, 1TB,2TB	
Western Digital	WD Green SN350	M.2 2280	240GB, 480GB, 960GB, 1TB, 2TB	
Western Digital	WD Red SN700	M.2 2280	250GB, 500GB, 1TB, 2TB, 4TB	
Sabrent	Rocket Q	M.2 2280	500GB, 1TB, 2TB, 4TB, 8TB	
HP	EX950	M.2 2280	512GB, 1TB, 2TB	

If you have any questions about NVMe compatibility, please contact us at Sales@highpoint-tech.com