



RocketStor 5411D

USB 3.0 Drive Dock + 7 Expansion Ports (USB I/O & Charging, Ethernet, Audio, SD Reader)

The Industry's Most Versatile USB 3.0 I/O Connectivity Solution!

USB 3.0 Drive Dock + 7 Expansion Ports!

The RocketStor 5411D is the industry's most versatile USB 3.0 connectivity solution for Mac and PC platforms.

It combines the convenience, speed and flexibility of a multi-port USB 3.0 controller, USB-charger, card-reader, SATA drive dock and universal charging station into a single compact device!

All-In-One USB 3.0 I/O Solution

The RocketStor 5411D is more than just a simple USB drive dock - it is a complete, USB 3.0 I/O connectivity solution! Manage all of your USB peripherals, SD memory cards, audio devices and storage from a single, compact docking station!

Each of three USB 3.0 ports provide two functions: a universal USB charging station and a single connection point for all of your USB peripherals including printers, scanners, headsets and input devices.

The built-in audio jacks support headsets and recording devices, and an integrated Ethernet port allows you to access USB devices over a local network connection and supports

Easily access SATA drives of any generation, size and performance level!

An integrated, modular drive bay supports any industry standard 3.5" and 2.5" SATA drive, including today's fastest 6Gb/s SSD's and high-capacity 8TB hard drives.

The RocketStor 5411D supports any industry standard SATA SSD and hard drive! It fully compatible with any performance level; from SATA 1 to SATA III, supports 3.5" and 2.5" form factors, and can handle disks of any capacity including the latest 6TB and 8TB models.

Versatile, Stand-Alone USB charging station

The RocketStor 5411D is capable of charging up to 3 USB devices, such a Smart Phones, Tablets, cameras and media players, simultaneously!


In addition, the RocketStor 5411D can be used as a standalone charging station – simply leave the unit's power cable plugged and utilize the dock as an all-purpose charging station!

Feature Highlights

- Dedicated 5Gb/s USB 3.0 Connectivity
- 6Gb/s SATA bay supports any 3.5"/2.5" SATA HDD and SSD
- Three USB 3.0 device ports with USB charging support
- UHS-I (Ultra High Speed) SD card socket
- Headphone Output Jack & Audio Input Jack
- Gigabyte Ethernet connectivity




The Industry's Most Versatile USB 3.0 I/O Connectivity Solution!




Ultra Energy Efficient!


Unlike many USB docking stations, hubs and drive docks, the RocketStor 5411D is compatible with Mac OSX and Windows 8/7 power saving modes. Hard disks inserted into the drive bay will enter a low-power state when the operating system is in sleep or standby modes.



For PC's




For Mac's



RocketStor 5411D Technical Specifications	
USB Port	Single USB3.0 Port
Transfer Rate	USB 3.0
Drive Interface	SATA
Drive Size	Up to One 3.5" or 2.5" SSD or HDD
Drive Capacity	Up to 8TB per slot
Drive Compatibility	SATA-II and SATA-III
I/O Ports	<ul style="list-style-type: none"> • High-Speed Storage & Peripherals - 6Gb/s SATA dock and Three 5Gb/s USB 3.0 ports. • Integrated Audio Ports - Support headphones, speakers and headsets. • SD card reader socket – Support UHS-I SD card up to 100MB/s I/O speed! • Built-in Gigabyte Ethernet port - Share devices over your local network or internet connection!
LED Indicator	Drive Active/Power LED
Operating System	Windows, Linux, Mac OS X
Material	ABS Plastic
Power Supply	Input: AC100-240V / Output: DC +12V 4.17A
Warranty	Limited Warranty period (parts): 1 year / Limited Warranty period (Labor): 1 year/ Return For Repair or Replacement Only

Packaging	
Kit Contents	RocketStor 5411D I/O Dock Quick Installation Guide Software CD USB 3.0 Cable Power Adapter (Including the AC Power cord).
Dimensions	6.81" L x 6.81" W x 5.12" H
Weight	0.61 lbs.
UPC Code	643653541126

Accessories	
RocketU 1022C	
	2-Port USB 3.0 PCI-Express 2.0 x1 HBA

HighPoint Headquarters
 Phone 1-408-942-5800
 Fax 1-408-942-5801
 E-mail sales@highpoint-tech.com
 Website www.highpoint-tech.com
 Address 1161 Cadillac Ct. Milpitas CA, 95035

HighPoint Taiwan
 Phone + 886-2-2218-3435
 Fax + 886-2-2218-3436
 E-mail sales@highpoint-tech.com
 Website www.highpoint-tech.com
 Address 5F., No.3, Swei Lane, Jhongjheng Rd., Sindian District, New Taip ei City 23148, Taiwan (R.O . C .)

HighPoint China
 Phone + 86-10-6213-0920
 Fax + 86-10-6897-5074
 E-mail sales@highpoint-tech.com
 Website www.highpoint-tech.cn
 Address 4th Floor Kehaifulin Building, NO. 12 Zhong Guan Cun South Rd, Aidian District Beijing China 100081

